AD635893



THE JOHNS HOPKINS UNIVERSITY

REPORT No. 15 Copy No. 87

Applied Physics Laboratory 8621 Georgia Avenue Silver Apring, Maryland

Operating under a "Section T" Contract with the Bureau of Ordnance U. S. Navy

SUCCESSFUL DEMONSTRATION AND VERIFICATION

OF

RAM-JET THRUST IN SUPERSONIC FLIGHT



DISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

June 19, 1945



THE JOHNS HOPKINS UNIVERSITY

Applied Physics Laboratory 8621 Georgia Avenue Silver Apring, Maryland

Operating under a "Section T" Contract with the Bureau of Ordnance U. S. Navy

SUCCESSFUL DEMONSTRATION AND VERIFICATION

OF

RAM-JET THRUST IN SUPERSONIC FLIGHT

TOISTRIBUTION OF THIS DOCUMENT IS UNLIMITED

June 19, 1945

SUCCESSFUL DEMONSTRATION AND VERIFICATION

OF.

RAM-JET THRUST IN SUPERSONIC FLIGHT

An unequivocal demonstration of ram-jet thrust at supersonic speeds took place Wednesday, June 13, 1945, with the launching at Island Beach, New Jersey, of a Model 3 ram-jet, whose range (about 11,000 yards) was nearly double that of the same model launched "cold". This was verified the following day by launching a second bird identical to the first, and the range this time was recorded as 14,000 yards. Both the above birds burned CS2. Supporting evidence was accumulated by the launching of two additional models similar to the above except for the use of pentane and acetaldehyde fuels, respectively; these latter units showed a 50 per cent increase over the range of the "cold" models.

Observers at Forked River, three miles down the peninsula, heard the crack of the shock wave as the first CS2-powered bird passed overhead--in fact, the average velocity computed for the second bird is 1750 ft/sec for the entire flight. A similar computation on the acetalde-hyde and for the pentane-powered birds shows an average velocity of 1100 ft/sec. While these figures are based only on the field observations as they now exist and have not been confirmed in detail by checking against film records, there can be no doubt that a large magnitude of thrust was obtained.

It should be borne in mind in considering the average velocities that the power stage of the above ramjet flights could not have persisted for the full time of operation, since the present fuel supply is exhausted after roughly 15 seconds. This, coupled finally with the report of an observer that the first ramjet "sizzled" when it struck the water, justifies the final conclusion that ramjets have been demonstrated to deliver significant thrust in supersonic flight, and that it is expected that records now being analyzed will show this thrust to be comparable to the drag of the Model 3 ramjet.



- ا	١١.				_	
ATI- 507	18 3	(Same)	. 1 3	OXO.	sion - Ram jet ormance (34065)	
TITLE: Successful Demonstration and Verification of Ram-Jet Thrust in Supersonic Flight	•		Ramjet thrust at supersonic speeds was demonstrated by launching a Model 3 range of about 11,000 yards. Verification was attained by launching a second, identical Model 3 ramjet whose range was recorded as 14,000 yards. Both the above "Birds" burned CS ₂ . Supporting evidence was obtained by launching two additional models similar to the above, except for the use of pentane and acetaldehyde fuels, respectively.	DISTRIBUTION: Copies of this report obtainable from Air Documents Division; Atta: MCIDXD	SUBJECT HEADINGS: Engines, Jet propulsion - Ram jet (33450); Engines, Ram jet - Performance (34065)	
fet Thrust in S	pring, Md.	PAGES RUSTRATICES 5 tables	monstrated by s. Verification et whose range ned CS ₂ . Supp similar to the respectively.	ocuments Divi	HEADINGS: En 3450); Engines	
cation of Ram-J	ersity, Silver S	Eng. 5	speeds was de out 11,000 yard 1 Model 3 ramj re " Birds" bur Iditional models Idebyde fuels, 1	able from Air I	SUBJECT (3	
tion and Verifi	AUTHOR(S): (Not known) Originating AGENCY; Johns Hopkins University, Silver Spring, Md. Published BY: (Same)	ouenav U.S.	Ramjet thrust at supersonic speeds was demonstrated be an amjet having a range of about 11,000 yards. Verificati launching a second, identical Model 3 ramjet whose ran 14,000 yards. Both the above "Birds" burned CS, Su obtained by launching two additional models similar to the use of pentane and acetaldebyde fuels, respectively.	s report obtains	(
sful Demonstra	Not known) AGENCY: John : (Same)	Boc. dath Scier.	Ramjet thrus ramjet havin launching a silf,000 yards obtained by the use of pe	Copies of thi	DIVISION: Guided Missiles (1) SECTION: Propulaton (3)	ATI SHEET NO.: 8-1-3-11
TITLE: Succes	AUTHOR(S): (Not known) ORIGINATING AGENCY: PUBLISHED BY: (Same)	June ' 45		DISTRIBUTION:	DIVISION: Guided Missil SECTION: Propulsion (3)	ATI SHEET NO.: 9-1-3-11